10-21-06

Express Mail No.: ED 311 827 515 US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of: Nielsen et al.

Confirmation No.: 5726

Application No.: 10/612,665

Group Art Unit: 1646

Filed: July 1, 2003

Examiner: To Be Assigned

Attorney Docket No.: 10165-022-999

For:

RECOMBINANT TISSUE

PROTECTIVE CYTOKINES AND **ENCODING NUCLEIC ACIDS** THEREOF FOR PROTECTION,

RESTORATION, AND

ENHANCEMENT OF RESPONSIVE CELLS, TISSUES, AND ORGANS

INFORMATION DISCLOSURE STATEMENT UNDER 37 C.F.R. §1.56 AND §1.97

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In accordance with the duty of disclosure imposed by 37 C.F.R. § 1.56 and § 1.97 to inform the Patent Office of all references coming to the attention of each individual associated with the filing or prosecution of the subject application, which are or may be material to the patentability of any claim of the application, Attorneys for Applicants hereby invite the Examiner's attention to the references A01 to A35, B01 to B08, and C01 to C122 listed on the attached revised form PTO 1449 entitled "List of References Cited by Applicant." Copies of references **B01** to **B08**, and **C01** to **C122** are submitted herewith.

Identification of the listed references is not meant to be construed as an admission of Applicants or Attorneys for Applicants that such references are available as "prior art" against the subject application.

The Applicants respectfully request that the Examiner review the foregoing references and that the references be made of record in the file history of the application.

This Information Disclosure Statement is being submitted before the mailing date of a first Office Action on the merits; therefore, pursuant to 37 C.F.R. § 1.97(b)(3), no fee is believed due. However, should the Patent and Trademark Office determine otherwise, please charge any required fee to Jones Day Deposit Account No. 50-3013. A duplicate of this sheet is enclosed for accounting purposes.

Respectfully submitted,

Date:

October 20, 2004

Laura a Corvice

30,742

Ladia A. Con

46.00

By: <u>Unlock</u> Eileen E. Falvey

46,097

JONES DAY

222 East 41st Street

New York, New York 10017

(212) 326-3939

Enclosures

ATTY DOCKET NO. APPLICATION NO
10165-022-999 10/612,665

APPLICANT
(Use several spects if necessary)

Nielsen, et al.

Filing date
July 1, 2003 1646

U.S. PATENT DOCUMENTS

*EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
	A01	2003/0072737 A1	04/17/03	Brines et al.			
	A02	2003/0040037 A1	02/27/03	Bayer			
	A03	2003/0003529 A1	01/02/03	Bayer			
. <u> </u>	A04	2002/0160460 A1	10/31/02	Paulson et al.			
	A05	2002/0142370 A1	10/03/02	Paulson et al.			
	A06	6,489,293	12/3/02	Sytkowski, et al.			
	A07	6,399,336 B1	06/04/02	Paulson et al.			
	A08	6,165,783	12/26/00	Weiss et al.			
	A09	6,153,407	11/28/00	Sytkowski, et al.			
	A10	6,071,970	6/6/00	Mueller et al.			
	All	6,048,971	4/11/00	Sytkowski, et al.			
	A12	5,955,422	9/21/99	Lin			
	A13	5,888,772	3/30/99	Okasinski et al.			
	A14	5,856,298	1/5/99	Strickland			
	A15	5,835,382	11/10/98	Wilson et al.			
	A16	5,830,851	11/3/98	Wrighton et al.			
	A17	5,773,569	6/30/98	Wrighton et al.			
	A18	5,767,078	6/16/98	Johnson et al.			
	A19	5,756,349	5/26/98	Lin			
-	A20	5,714,459	2/3/98	O'Brien			
	A21	5,700,909	12/23/97	O'Brien			
	A22	5,696,080	12/9/97	O'Brien			
	A23	5,661,125	8/26/97	Strickland			
	A24	5,625,035	4/29/97	Clemons			
	A25	5,621,080	4/15/97	Lin		1	
	A26	5,618,698	4/8/97	Lin			
	A27	5,614,184	3/25/97	Sytkowski et al.			
	A28	5,604,198	2/18/97	Poduslo et al.			
	A29	5,571,787	11/5/96	O'Brien et al.			
	A30	5,547,933	8/20/96	Lin			
	A31	5,457,089	10/10/95	Fibi et al.			
	A32	4,835,260	5/30/89	Shoemaker			
	A33	4,806,524	2/21/89	Kawaguchi et al.			
	A34	4,703,008	10/27/87	Lin			
	A35	4,377,513	3/22/83	Sugimoto et al.			

		FOREIG	N PATENT DOCUMENTS				
	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSL	ATION
						YES	NO
B01	5-246885	9/24/93	Japan				
B02	WO 01/82953	11/8/01	PCT				
B03	WO 01/82952	11/8/01	PCT				
B04	WO 00/35475	6/22/00	PCT				
 B05	WO 98/18926	5/7/98	PCT		····		
 B06	WO 97/32895	12/12/97	PCT			-	
 B07	WO 97/18318	5/22/97	PCT				
 B08	WO 95/05465	2/23/95	PCT				

	OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)
C01	Alafaci et al., 2000, "Effect of Recombinant Human Erythropoietin on Cerebral Ischemia Following Experimental Subarachnoid Hemorrhage," Eur. J. Phar. 406:219-225
C02	Anagnostou et al., 1994, "Erythropoietin receptor mRNA expression in human endothelial cells", Proc. Natl. Acad. Sci. USA 91:3974-3978
C03	Annable et al., 1972, "The Second International Reference Preparation of Erythropoietin, Human, Urinary, for Bioassay," Bull. Org. mond. Sante 47:99-112
C04	Ashwell et al., 1978, "A Protein from Mammalian Liver that Specifically Binds Galactose-Terminated Glycoproteins," Meth. Enzymol. 50:287-291
C05	Barber D.L. et al., 2001, "De novo design of cytokine-based alpha helical binding domains display cytotoxic activity Blood, 98(11, part 2):132b-133b Abstract 4193
C06	Bauer, 1995, "The Oxygen Sensor That Controls EPO Production: Facts and Fancies," J. Perinat. Med., 23:7-12
C07	Benyo and Conrad, 1999, "Expression of erythropoietin receptor by trophoblast cells in the human placenta," Biol. Reproduct. 60:861-870
C08	Bernat et al., 2003, "Determination of the energetics governing the regulatory step in growth hormone-induced receptor homodimerization," PNAS 100(3):952-957
C09	Bernaudin et al., 2000, Neurons and astrocytes express EPO mRNA: oxygen-sensing mechanisms that involve the redox-state of the brain", Glia 30:271-278
C10	Bernaudin et al., 1999, "A potential role for erythropoietin in focal permanent cerebral ischemia in mice," J. Cereb. Blood Flow Metab. 19:643-651
CH	Biossel et al., 1993, "Erythropoietin structure-function relationships," J. Biol. Chem. 268(21):15983-15993
C12	Bondy, 1995, "The relaxation of oxidative stress and hyperexcitation to neurological disease," Proc. Soc. Exp. Biol. Med. 208:337-345
C13	Briggs et al., 1974, "Hepatic Clearance of Intact and Desialylated Erythropoietin," Am. J. Physiol., 227:1385-1388
C14	Brines et al., 2000, "Erythropoietin crosses the blood-brain barrier to -protect against experimental brain injury," Pro Natl. Acad. Sci. USA 97:10526-10531
C15	Bruneval et al., 1993, "Erythropoietin Synthesis by Tumor Cells in a Case of Meningioma Associated With Erythrocytosis," Blood, 81:1593-1597
C16	Camiscoli et al., 1968, "Comparative Assay of Erythropoietin Standards," Annals New York Acad. Sci., 149:40-45
C17	Campana et al., 1998, "Identification of a neurotrophic sequence in erythropoietin," Int. J. Mol. Med. 1:235-241
C18	Claus-Walker and Dunn, 1984, "Spinal Cord Injury and Serum Erythropoietin," Arch. Phys. Med. Rehabil., 65:370-374
C19	Cotes, 1968, "Quantitative Estimation of Erythropoietin," Part I. Assay and Standardization of Erythropoietin, Annals New York Acad. Sci., 149:12-17
C20	Cotes and Bangham, 1966, "The International Reference Preparation of Erythropoietin," Bull. Org. mond. Sante, 35:751-760
C21	Cotes and Bangham, 1961, "Bio-Assay of Erythropoietin in Mice Made Polycythaemic By Exposure to Air at a Reduced Pressure," Nature, 191:1065-1067
C22	Cunningham et al., 1989, "High-resolution epitope mapping of hGH-receptor interactions by alanine-scanning mutagenesis," Science 244(4908):1081-1085
C23	Dale et al., 2002, "Stimulated platelets use serotonin to enhance their retention of procoagulant proteins on the cell surface," Nature 415:175-179
C24	Digicaylioglu et al. 1995, "Localization of specific erythropoietin binding sites in defined areas of the mouse brain, Proc. Natl. Acad. Sci. USA 92:3717-3720
C25	Dipaolo et al., 1992, "Effects of uremia and dialysis on brain electrophysiology after recombinant erythropoietin

	treatment," ASAIO J. 38:M477-M480
C26	Dordal et al., 1985, "The Role of Carbohydrate in Erythropoietin Action," Endocrinol., 116:2293-2299
C27	Dube et al, 1988, "Glycosylation at Specific Sites of Erythropoietin is Essential for Biosynthesis, Secretion, and Biological Function," J. Biol. Chem., 263:17516-17521
C28	Ehrenreich et al., 2002, "Erythropoietin therapy for acute stroke is both safe and beneficial," Molec. Med. 8(8):495-505
C29	Elliott, et al., 1997, "Mapping of the active site of recombinant human erythropoietin," Blood 89(2):493-502
C30	Eur. Pharmacopoeia, 1997, pp. 5
C31	
C32	Meeting of the American Society of Hematology, Orlando FL, Dec. 7-11, 2001)
C33	73:84-89
C34	of ECVAM Workshop 9, A.T.L.A., 23:699-711
C35	
C36	
C37	in Erythropoietin Action, J. Biol. Chem., 249:4202-4206
C38	Gorio et al., 2002, "Recombinant human erythropoietin counteracts secondary injury and markedly enhances neurological recovery from experimental spinal cord trauma," Proc. Natl. Acad. Sci. USA 99:9450-9455 (PNAS Early Edition www.pnas.org/cgi/doi/10.1073/pnas.142287899)
C39	Grasso et al., 2002, "Beneficial effects of systemic administration of recombinant human erythrpoietin in rabbits subjected to subarachnoid hemorrhage," Proc. Natl. Acad. Sci. USA 99:5627-5631
C40	expression," Blood 94:87-96
C41	38:480-486
C42	effects in vivo," JBC 277(81):27581-27584
C43	Crisis. III. Erythropoietic Effects of Normal Plasma," Erythropoietin, 149:516-527
C44	inhibitor of human primary hematopoietic cell erythropoiesis," Blood, 98(11, part 1):77a Abstract 319
C45	ID No. 136456, Comp & Dist by NTIS
C46	erythropoietin antagonist," Blood 96(11, part 2):154b Abstract 4366
C47	
C48	improves water maze performance in mice," Physiol. Behav. 59:153-156
C49	recombinant human EPO," Am. J. Physiol. 262:F737-F743
C50	Fluid From a Brainstem Hemangioblastoma," Neurology, 41:753-754
C51	194:457-462
C52	Proc. Natl. Acad. Sci. USA 99:10659-10664 (PNAS Early Edition www.pnas.org/cgi/doi/10.1073/pnas.152321399)
C53	Soc. for Neuroscience Abstracts 27:929 (31 st Annual Meeting of the Society for Neuroscience, San Diego, CA Nov. 10-15, 2001)
C54	Early Human Devel. 52:235-249
C55	Pediatr. Res. 43:40-49
C56	Sci., 149:18-24
C57	Gynecology, 96:826-828
C58	Konishi et al., 1993, "Trophic effect of erythropoietin and other hematopoietic factors on central cholinergic neurons in vitro and in vivo," Brain Res. 609:29-35
C54 C55 C56 C57	Juul et al., 2001, "Recombinant erythropoietin (EPO) crosses the blood brain barrier (BBB) in preterm fetal sheep," Soc. for Neuroscience Abstracts 27:929 (31 st Annual Meeting of the Society for Neuroscience, San Diego, CA Nov. 10-15, 2001) Juul et al., 1998, "Tissue distribution of erythropoietin and erythropoietin receptor in the developing human fetus," Early Human Devel. 52:235-249 Juul et al., 1998, "Erythropoietin and erythropoietin receptor in the developing human central nervous system," Pediatr. Res. 43:40-49 Keighley, 1968, "Further Experiences with Assays, Units, and Standards of Erythropoietin," Annals New York Acad. Sci., 149:18-24 Kohama et al., 2000, "Large Uterine Myoma with Erythropoietin Messenger RNA and Erythrocytosis," Obstetrics an Gynecology, 96:826-828 Konishi et al., 1993, "Trophic effect of erythropoietin and other hematopoietic factors on central cholinergic neurons

C59	mechanism," Behav. Neural Biol. 62:237-243
C60	Latini et al., 1998, "Comparative efficacy of a DA2/α2 agonist and a β-blocker in reducing adrenergic drive and cardiac fibrosis in an experimental model of left ventricular dysfunction after coronary artery occlusion," J. Cardiovasc. Pharmacol. 31:601-608
C6	Li et al., 1998, "A single pre-training glucose injection induces memory facilitation in rodents performing various tasks: contribution of acidic fibroblast growth factor," Neurosci. 85:785-794
C6:	T' 4 1 1000 "F- the relation recently are supposed in the control narrous system of mid trimester human fatures."
C6:	T: 1 4.1 1004 "A - Listing of the transport of the state of the project in N and O linked glycops"
C6-	This state 1 1005 White a secret facilitates conditioned tests everying learning in normal rate " Brain Dec
C6.	1: 1 1007 (P. 1 11 11 the city of the city
C6	T' 1 1000 600 and a significant significan
C6	Ti 1 1004 (m) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C
C6	Y 1 1000 "I which is a fraction of the Managini deep and by Mild Substitution Depotions" Nature
C6	1 1000 WE at 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
C7	1 1 1 1001 "IL FRO to the stimulation and as a little function of anomic diclusic nation to "Vidney
C7	No. 1. 1. 1007 WD 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
C7	Marti et al., 1996, "Erythropoietin gene expression in human, monkey and murine brain," Eur. J. Neurosci. 8:666-676
C7	Masuda et al., 1997, "Insulin-like growth factors and insulin stimulate erythropoietin production in primary cultured astrocytes," Brain Res. 746:63-70
C7	1. 1 1004 64 1 1 C 11 1 C 1
C7	The state of the s
C7	1 0000 WE did i C. addie a Feedbase sixtis Desdesing Hemotocollular Corgingmo "I Surg
C7	1 1000 "A vi 1 1: vi - ti
C7	The state of the s
C7	2.00 - 1.00 - 1.00 - 1.00 - 1.00 - 1.00 - 0.
C8	Morishita et al., 1997, "Erythropoietin receptor is expressed in rat hippocampal and cerebral cortical neurons, and erythropoietin prevents <i>in vitro</i> glutamate-induced neuronal death," Neurosci. 76:105-116
C8	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
C8	10.1 1 1000 "O
C8	N. I. 1000 Will at the description of the state of democracy matients? Am. I. Mod
C8	N' 1 1001 (F) 1 1 1001 (F) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
C8	1000 (77) 11 11 11 11 11 11 11 11 11 11 11 11 11
C8	O 1 1000 (0) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
C8	Oliver 1 2001 (60 1 cl. 1 2 cl
C8	Ol 1 1 1 1000 "F at a sixting time later multipration of met cultured posterio museus legals." Dispection 57:229
C8	Page et al., 1996, "A sensitive human cell line based bioassay for megakaryocyte growth and development factor or
C9	thrombopoietin," Cytokine 8(1):66-69 Pardridge, 1997, "Drug delivery to the brain," J. Cerebral Blood Flow Metab. 17:713-731
	Pardridge et al., 1991, "Selective transport of an anti-transferrin receptor antibody through the blood-brain barrier in

		The state of the s
,	C92	Park et al., 1997, "Development of an in vitro bioassay system for human thrombopoietin by constructing a recombinant murine cell line expressing human thrombopoietin receptor," Mol. Cells. 7(6):699-704
	C93	Peng et al., 2000, "HPLC/ESI MS and MALDI/TOF MS analysis of microheterogeneity of the N-linked oligosaccharides of recombinant human erythropoietin," Yao Xue Xue Bao (Acta Pharmaceutica Sinica) 35(10):764-769 Chinese
	C94	Poduslo et al., 1994, "Macromolecular premeability across the blood-nerve and blood-brain barriers," Proc. Natl. Acad. Sci. USA 91:5705-5709
	C95	Prendergast et al., 1997, "Nitric oxide synthase inhibition impairs spatial navigation learning and induces conditioned taste aversion," Pharmacol. Biochem. Behav. 57:347-352
	C96	Qiu et al., 1998, "Homodimerization restores biological activity to an inactive erythropoietin mutant," J. Biol. Chem. 273(18):11173-11176
	C97	Rose and Audus, 1998, "Receptor-mediated angiotensin II transcytosis by brain microvessel endothelial cells," Peptides 19:1023-1030
	C98	Rush et al., 1995, "Microheterogeneity of erythropoietin carbohydrate structure," Analytical Chemistry, 67(8):1442-1452
	C99	Rush et al., 1993, "Peptide mapping and evaluation of glycopeptide microheterogeneity derived from endoproteinase digestion of erythropoietin by affinity high-performance capillary electrophoresis," Anal. Chem. 65(14):1834-1842
	C100	Sadamoto et al., 1998, "Erythropoietin prevents place navigation disability and cortical infarction in rats with permanent occlusion of the middle cerebral artery," Biochem. Biophys. Res. Comm. 253:26-32
	C101	Sakanaka et al., 1998, "In vivo evidence that erythropoietin protects neurons from ischemic damage," Proc. Natl. Acad. Sci. USA 95:4635-4640
	C102	Satake et al., 1990 "Chemical modification of erythropoietin: an increase in <i>in vitro</i> activity by guanidination," Biochim. Biophys Acta. 1038(1):125-129
	C103	Sawyer et al., 1989, "Receptors for erythropoietin in mouse and human erythroid cells and placenta," Blood 74:103-109
	C104	Shiramizu et al., 1994, "Constitutive Secretion of Erythropoietin by Human Renal Adenocarcinoma Cells in Vivo and in Vitro," Exp. Cell Res., 215:249-256
	C105	Shore et al., 1968, "Quantitative Estimation of Erythropoietin," Annals New York Acad. Sci., 149:46-48
	C106	Silva et al., 1999, "Erythropoietin can induce the expression of bcl-x _L through Stat5 in erythropoietin-dependent progenitor cell lines," J. Biol. Chem. 274:22165-22169
	C107	Sirén et al., 2001, "Erythropoietin prevents neuronal apoptosis after cerebral ischemia and metabolic stress," Proc. Natl. Acad. Sci. USA 98:4044-4049
	C108	99
	C109	Storring <i>et al.</i> , 1998, "Epoietin Alfa and Beta Differ In Erythropoietin Isoform Compositions and Biological Properties," British J. Haematology, 100:79-89
	C110	Storring and Gaines Das, 1992, "The International Standard for Recombinant DNA-Derived Erythropoietin: Collaborative Study of Four Recombinant DNA-derived Erythropoietins and Two Highly Purified Human Urinary Erythropoietins," <i>J. Endocrinol.</i> , 134 :459-484.
	C111	Suzuki et al., 2001, "Erythropoietin Synthesis by Tumour Tissues in a Patient With Uterine Myoma and ERythrocytosis," British J. Haematology, 113:49-51.
	C112	G. 1 . 1 1000 (FIGS.) C. 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 .
	C113	Tabira et al., 1995, "Neurotrophic effect of hematopoietic cytokines on cholinergic and other neurons <i>in vitro</i> ", Int. J. Devl. Neurosci. 13:241-252
	C114	Weiland et al., "In vivo Activity of Asialo-Erythropoietin in Combination with Asialo-Glycoproteins," 1982, Blut, 44:173-175.
	C115	Wen et al., 1994, "erythropoietin structure-function relationships," J. Biol. Chem. 269(36):22839-22846
	C116	Intl. 55:808-820
	C117	Williams et al., 1994, "Human erythropoietin receptor", Ann. NY Acad. Sci. 718:232-244
	C118	Blood 74(3):952-958
	C119	Wolcott et al., 1989, "Recombinant human erythropoietin treatment may improve quality of life and cognitive function in chronic hemodialysis patients", Am. J. Kidney Dis. 14:478-485
	C120	Wolf et al., 1997, "Erythropoietin administration increases production and reactivity of platelets in dogs," Thromb. Haemost. 78:1505-1509
	C121	Wu and Pardridge, 1999, "Neuroprotection with noninvasive neurotrophin delivery to the brain", Neurobiol. 96 :254-259
	C122	Yamaji et al., 1996, "Brain capillary endothelial cells express two forms of erythropoietin receptor mRNA", Eur. J. Biochem. 239:494-500

EXAMINER	DATE CONSIDERED
----------	-----------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.